



New Products



82-5709-P500

82-5709-P500 - Battery Cables - Type SGR, Length 500'

Electrical Connections / Battery Connectors & Cables

- Rated @ 60V
- 100% Copper Cable
- All Battery Cable is spooled
- Meets all SAE code J1127 specifications

[Vist Product Page](#)



82-6709-P500

82-6709-P500 - Battery Cables - Type SGR, Length 500'

Electrical Connections / Battery Connectors & Cables

- Rated @ 60V
- 100% Copper Cable
- All Battery Cable is spooled
- Meets all SAE code J1127 specifications

[Vist Product Page](#)



82-5625

82-5625 - Trailer Cable, PVC, Length 250'

Electrical Connections / Wire & Cable

- Used for wiring trucks and trailers; Jacket provides protection from weather and abrasive materials

[Vist Product Page](#)



83-8038-3

83-8038-3 - Split Flex Convoluted Tubing, Nylon Split Loom, 250' Length, Size 1 1/4"

Electrical Connections / Support & Protective

- Provides excellent chemical protection
- Allows flexible routing of wire, cable, hoses
- Protects hoses, wire, and cables from extreme heat and abrasion
- Helps reduce noise and protects wires from stones and other harmful debris
- Slit opening allows for easy installation of wires
- The slit snaps closed after installation to maintain its protective properties
- Applications: Automotive, Truck, Bus, Trailer, Marine, R.V., OE harness manufacturing

[Vist Product Page](#)



83-8001-3-R

83-8001-3-R - Split Flex Convoluted Tubing, Polyethylene Split Loom, Length 500', Size 1/2"

Electrical Connections / Support & Protective

- Provides excellent chemical protection
- Allows flexible routing of wire, cable, hoses
- Protects hoses, wire, and cables from extreme heat and abrasion
- Helps reduce noise and protects wires from stones and other harmful debris
- Slit opening allows for easy installation of wires
- The slit snaps closed after installation to maintain its protective properties
- Applications: Automotive, Truck, Bus, Trailer, Marine, R.V., OE harness manufacturing

[Vist Product Page](#)



87-8514

87-8514 - (GPT) General Purpose Thermoplastic Wire, Length 500' Pink

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



87-8503

87-8503 - (GPT) General Purpose Thermoplastic Wire, Length 500' Gray

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



87-8512

87-8512 - (GPT) General Purpose Thermoplastic Wire, Length 500' Orange

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



87-8513

87-8513 - (GPT) General Purpose Thermoplastic Wire, Length 500' Purple

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



88-9111

88-9111 - (GPT) General Purpose Thermoplastic Wire, Length 1000' Yellow

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



88-9110

88-9110 - (GPT) General Purpose Thermoplastic Wire, Length 1000' Blue

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



88-9107

88-9107 - (GPT) General Purpose Thermoplastic Wire, Length 1000' White

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



88-9101

88-9101 - (GPT) General Purpose Thermoplastic Wire, Length 1000' Brown

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



88-9106

88-9106 - (GPT) General Purpose Thermoplastic Wire, Length 1000' Green

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



88-9102

88-9102 - (GPT) General Purpose Thermoplastic Wire, Length 1000' Black

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



88-9100

88-9100 - (GPT) General Purpose Thermoplastic Wire, Length 1000' Red

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



79245

79245 - Compact LED Beacons, Permanent Mount, Class I, Blue with Clear Lens

Warning & Hazard / Beacons

- 12 customer selectable flash patterns in either of two phases, plus steady-on
- S-Link™ 2.0 System allows for flash pattern synchronization with up to ten other S-Link compatible units (for hardwire models only)
- Polycarbonate lens and base (Ultrasonic welded); Polarity protected
- Three-hole, permanent mount and magnet mount with pattern select aux. plug

[Vist Product Page](#)



54812

54812 - Heated All-Weather Stop Tail Turn Lights, 6" Heated All-Weather Oval With Backup Hardshell

Signal Lighting / Stop Tail Turn Lights

- Decrease downtime and accelerate "walk-arounds" by reducing the need for drivers to scrape snow and ice from lights
- Keep lights free from snow and ice while driving in wintry conditions allowing you to stay visible, safe, and legally compliant with unobstructed lights
- Advanced thermal regulation technology monitors lens temperature to prevent overheating and reduce power consumption
- When the temperature of the lamp falls below 40 degrees, Grote's Heated 4-in-1 All-Weather STT Lights automatically begin transferring heat through the lens, actively preventing ice and snow buildup
- Bulk packs available to support retro-fit programs (16 pcs per carton)

[Vist Product Page](#)



54812-3

54812-3 - Heated All-Weather Stop Tail Turn Lights, 6" Heated All-Weather Oval With Backup Hardshell - Bulk Pack

Signal Lighting / Stop Tail Turn Lights

- Decrease downtime and accelerate "walk-arounds" by reducing the need for drivers to scrape snow and ice from lights
- Keep lights free from snow and ice while driving in wintry conditions allowing you to stay visible, safe, and legally compliant with unobstructed lights
- Advanced thermal regulation technology monitors lens temperature to prevent overheating and reduce power consumption
- When the temperature of the lamp falls below 40 degrees, Grote's Heated 4-in-1 All-Weather STT Lights automatically begin transferring heat through the lens, actively preventing ice and snow buildup
- Bulk packs available to support retro-fit programs (16 pcs per carton)

[Vist Product Page](#)



54822

54822 - Heated All-Weather Stop Tail Turn Lights, 6" Heated All-Weather Oval Hardshell

Signal Lighting / Stop Tail Turn Lights

- Decrease downtime and accelerate "walk-arounds" by reducing the need for drivers to scrape snow and ice from lights
- Keep lights free from snow and ice while driving in wintry conditions allowing you to stay visible, safe, and legally compliant with unobstructed lights
- Advanced thermal regulation technology monitors lens temperature to prevent overheating and reduce power consumption
- When the temperature of the lamp falls below 40 degrees, Grote's Heated 4-in-1 All-Weather STT Lights automatically begin transferring heat through the lens, actively preventing ice and snow buildup
- Bulk packs available to support retro-fit programs (16 pcs per carton)

[Vist Product Page](#)



54822-3

54822-3 - Heated All-Weather Stop Tail Turn Lights, 6" Heated All-Weather Oval Hardshell - Bulk Pack

Signal Lighting / Stop Tail Turn Lights

- Decrease downtime and accelerate "walk-arounds" by reducing the need for drivers to scrape snow and ice from lights
- Keep lights free from snow and ice while driving in wintry conditions allowing you to stay visible, safe, and legally compliant with unobstructed lights
- Advanced thermal regulation technology monitors lens temperature to prevent overheating and reduce power consumption
- When the temperature of the lamp falls below 40 degrees, Grote's Heated 4-in-1 All-Weather STT Lights automatically begin transferring heat through the lens, actively preventing ice and snow buildup
- Bulk packs available to support retro-fit programs (16 pcs per carton)

[Vist Product Page](#)



55022

55022 - Heated All-Weather Stop Tail Turn Lights, 4" Heated All-Weather STT Hardshell

Signal Lighting / Stop Tail Turn Lights

- Decrease downtime and accelerate "walk-arounds" by reducing the need for drivers to scrape snow and ice from lights
- Keep lights free from snow and ice while driving in wintry conditions allowing you to stay visible, safe, and legally compliant with unobstructed lights
- Advanced thermal regulation technology monitors lens temperature to prevent overheating and reduce power consumption
- When the temperature of the lamp falls below 40 degrees, Grote's Heated 4-in-1 All-Weather STT Lights automatically begin transferring heat through the lens, actively preventing ice and snow buildup
- Bulk packs available to support retro-fit programs (16 pcs per carton)

[Vist Product Page](#)



55022-3

55022-3 - Heated All-Weather Stop Tail Turn Lights, 4" Heated All-Weather STT Hardshell - Bulk Pack

Signal Lighting / Stop Tail Turn Lights

- Decrease downtime and accelerate "walk-arounds" by reducing the need for drivers to scrape snow and ice from lights
- Keep lights free from snow and ice while driving in wintry conditions allowing you to stay visible, safe, and legally compliant with unobstructed lights
- Advanced thermal regulation technology monitors lens temperature to prevent overheating and reduce power consumption
- When the temperature of the lamp falls below 40 degrees, Grote's Heated 4-in-1 All-Weather STT Lights automatically begin transferring heat through the lens, actively preventing ice and snow buildup
- Bulk packs available to support retro-fit programs (16 pcs per carton)

[Vist Product Page](#)



55262

55262 - Heated All-Weather Stop Tail Turn Lights, 4" Heated All-Weather STT With Backup Hardshell

Signal Lighting / Stop Tail Turn Lights

- Decrease downtime and accelerate "walk-arounds" by reducing the need for drivers to scrape snow and ice from lights
- Keep lights free from snow and ice while driving in wintry conditions allowing you to stay visible, safe, and legally compliant with unobstructed lights
- Advanced thermal regulation technology monitors lens temperature to prevent overheating and reduce power consumption
- When the temperature of the lamp falls below 40 degrees, Grote's Heated 4-in-1 All-Weather STT Lights automatically begin transferring heat through the lens, actively preventing ice and snow buildup
- Bulk packs available to support retro-fit programs (16 pcs per carton)

[Vist Product Page](#)



55262-3

55262-3 - Heated All-Weather Stop Tail Turn Lights, 4" Heated All-Weather STT With Backup Hardshell - Bulk Pack

Signal Lighting / Stop Tail Turn Lights

- Decrease downtime and accelerate "walk-arounds" by reducing the need for drivers to scrape snow and ice from lights
- Keep lights free from snow and ice while driving in wintry conditions allowing you to stay visible, safe, and legally compliant with unobstructed lights
- Advanced thermal regulation technology monitors lens temperature to prevent overheating and reduce power consumption
- When the temperature of the lamp falls below 40 degrees, Grote's Heated 4-in-1 All-Weather STT Lights automatically begin transferring heat through the lens, actively preventing ice and snow buildup
- Bulk packs available to support retro-fit programs (16 pcs per carton)

[Vist Product Page](#)



73480

73480 - Multi-Frequency and White Noise Alarms, White Noise Backup Alarm, Multi Frequency, 97dB

Warning & Hazard / Audible Devices

- The "White Noise" function reduces noise pollution (ideal for use in residential areas) but still provides excellent and locatable sound in the danger zones behind vehicles
- Improves worker safety with its acoustically friendly and locatable sound, reducing confusion and improving audibility
- Helps to eliminate noise complaints at job sites, delivering compliance to municipal and regional noise regulations
- The rugged black housing is made from durable, glass-filled nylon, and is epoxy-sealed to protect against dust, moisture, and vibration
- The 73480 mounts in a standard 4" grommet, providing a fast and easy installation that provides added protection against damage from debris

[Vist Product Page](#)



73430

73430 - Multi-Frequency and White Noise Alarms, White Noise Backup Alarm, Multi Frequency, Self Adjusting, 87-107dB

Warning & Hazard / Audible Devices

- The “White Noise” function reduces noise pollution (ideal for use in residential areas) while still providing excellent and locatable sound in the danger zones behind vehicles
- Improves worker safety with its acoustically friendly and locatable sound, reducing confusion and improving audibility
- Helps to eliminate noise complaints at job sites, delivering compliance to municipal and regional noise regulations
- The rugged and familiar blue housing features glass-filled nylon and a durable urethane potting material to withstand challenging work environments
- Grote Alarms feature a standard mounting configuration for quick installations, retrofits, and replacements, and the blunt cut wires make installation simple and straightforward
- Grote’s self-adjusting alarms detect ambient noise in the work environment and can get louder when necessary to ensure a safe work zone

[Vist Product Page](#)



73440

73440 - Multi-Frequency and White Noise Alarms, White Noise Backup Alarm, Multi Frequency, Self Adjusting, 77-97dB

Warning & Hazard / Audible Devices

- The “White Noise” function reduces noise pollution (ideal for use in residential areas) while still providing excellent and locatable sound in the danger zones behind vehicles
- Improves worker safety with its acoustically friendly and locatable sound, reducing confusion and improving audibility
- Helps to eliminate noise complaints at job sites, delivering compliance to municipal and regional noise regulations
- The rugged and familiar blue housing features glass-filled nylon and a durable urethane potting material to withstand challenging work environments
- Grote Alarms feature a standard mounting configuration for quick installations, retrofits, and replacements, and the blunt cut wires make installation simple and straightforward
- Grote’s self-adjusting alarms detect ambient noise in the work environment and can get louder when necessary to ensure a safe work zone

[Vist Product Page](#)



73470

73470 - Multi-Frequency and White Noise Alarms, White Noise Backup Alarm, Multi frequency, Reverse speaker, 107dB, 12/24V

Warning & Hazard / Audible Devices

- White Noise function reduces noise pollution (ideal for use in residential areas) but still provides excellent and locatable sound in the danger zones behind vehicles.
- Improves worker safety with its acoustically friendly and locatable sound, reducing confusion and improving audibility.
- Helps to eliminate noise complaints at job sites, and delivers compliance to municipal and regional noise regulations.
- The rugged and familiar blue housing features glass-filled nylon and a durable urethane potting material to withstand challenging work environments.
- Grote alarms feature a standard mounting configuration for quick installations, retrofits, and replacements, and the blunt cut wires make installation simple and straightforward.

[Vist Product Page](#)



73450

73450 - Multi-Frequency and White Noise Alarms, White Noise Backup Alarm, Multi frequency, Reverse speaker, 97dB, 12V/24V

Warning & Hazard / Audible Devices

- White Noise function reduces noise pollution (ideal for use in residential areas) but still provides excellent and locatable sound in the danger zones behind vehicles.
- Improves worker safety with its acoustically friendly and locatable sound, reducing confusion and improving audibility.
- Helps to eliminate noise complaints at job sites, and delivers compliance to municipal and regional noise regulations.
- The rugged and familiar blue housing features glass-filled nylon and a durable urethane potting material to withstand challenging work environments.
- Grote alarms feature a standard mounting configuration for quick installations, retrofits, and replacements, and the blunt cut wires make installation simple and straightforward.

[Vist Product Page](#)



73460

73460 - Multi-Frequency and White Noise Alarms, White Noise Backup Alarm, Multi frequency, Reverse speaker, 102dB, 12/24V

Warning & Hazard / Audible Devices

- White Noise function reduces noise pollution (ideal for use in residential areas) but still provides excellent and locatable sound in the danger zones behind vehicles.
- Improves worker safety with its acoustically friendly and locatable sound, reducing confusion and improving audibility.
- Helps to eliminate noise complaints at job sites, and delivers compliance to municipal and regional noise regulations.
- The rugged and familiar blue housing features glass-filled nylon and a durable urethane potting material to withstand challenging work environments.
- Grote alarms feature a standard mounting configuration for quick installations, retrofits, and replacements, and the blunt cut wires make installation simple and straightforward.

[Vist Product Page](#)



73340

73340 - Multi-Frequency and White Noise Alarms, White Noise Backup Alarm, Multi frequency, 97dB

Warning & Hazard / Audible Devices

- White Noise function reduces noise pollution (ideal for use in residential areas) but still provides excellent and locatable sound in the danger zones behind vehicles.
- Improves worker safety with its acoustically friendly and locatable sound, reducing confusion and improving audibility.
- Helps to eliminate noise complaints at job sites, and delivers compliance to municipal and regional noise regulations.
- The rugged and familiar blue housing features glass-filled nylon and a durable urethane potting material to withstand challenging work environments.
- Grote alarms feature a standard mounting configuration for quick installations, retrofits, and replacements, and the blunt cut wires make installation simple and straightforward.

[Vist Product Page](#)



73020

73020 - Specialty Backup Alarms, Dual Alert Smart Alarm, 87dB to 112dB, 12-24V

Warning & Hazard / Audible Devices

- The primary alarm tone automatically adjusts volume from 87 to 112 dB based on environmental noise levels, ensuring it's heard clearly as a back-up alarm in any setting
- A unique secondary warble tone provides an additional, attention-grabbing sound, ideal for signaling other safety hazards like moving liftgates or equipment in motion
- Built to last, with glass-filled nylon housings for added strength and resilience in demanding environments
- Designed with universal mounting options and a straightforward 3-wire installation, making it adaptable to various equipment types
- Engineered with a rear-facing design to shield the speaker from the elements and hazards like dust and moisture, enhancing durability and ensuring reliable performance over time
- Rugged construction with glass-filled nylon housings
- Offer distinct tones and alert allowing equipment to provide audible warnings for different scenarios
- Universal mounting including grommet mounted products
- Available in a range of decibel output levels to fit wide variety of application needs

[Vist Product Page](#)



79254

79254 - Compact LED Beacons, Magnet Mount, Class III, Green with Clear Lens

Warning & Hazard / Beacons

- 12 customer selectable flash patterns in either of two phases, plus steady-on
- S-Link™ 2.0 System allows for flash pattern synchronization with up to ten other S-Link compatible units (for hardwire models only)
- Polycarbonate lens and base (Ultrasonic welded); Polarity protected
- Three-hole, permanent mount and magnet mount with pattern select aux. plug

[Vist Product Page](#)



79255

79255 - Compact LED Beacons, Magnet Mount, Class I, Blue with Clear Lens

Warning & Hazard / Beacons

- 12 customer selectable flash patterns in either of two phases, plus steady-on
- S-Link™ 2.0 System allows for flash pattern synchronization with up to ten other S-Link compatible units (for hardwire models only)
- Polycarbonate lens and base (Ultrasonic welded); Polarity protected
- Three-hole, permanent mount and magnet mount with pattern select aux. plug

[Vist Product Page](#)



79244

79244 - Compact LED Beacons, Permanent Mount, Class III, Green with Clear Lens

Warning & Hazard / Beacons

- 12 customer selectable flash patterns in either of two phases, plus steady-on
- S-Link™ 2.0 System allows for flash pattern synchronization with up to ten other S-Link compatible units (for hardwire models only)
- Polycarbonate lens and base (Ultrasonic welded); Polarity protected
- Three-hole, permanent mount and magnet mount with pattern select aux. plug

[Vist Product Page](#)



63H91-5

63H91-5 - LED Remote Work Lights, G360 LED Remote Work Light with Remote Control

White Light / Work Lighting

- The waterproof and dust-tight design (IP67/IP69K) makes it perfect for utility and construction work
- The versatile remote control can be used wirelessly with the included A23 battery, or connected with a cable for battery-free installation
- Provides reverse polarity and short-circuit protection for simplified installation
- Automatically returns to home position when powered off

[Vist Product Page](#)



01065-18

01065-18 - EZ Claw® Demo Displays, EZ Claw® Demo Display

Other / Retail Displays

- Available only in the USA (Lower 48)
- Fit-Anywhere foot print of just 3' x 3'
- Sturdy steel display with eye-catching colors and graphics
- Working tensioner with mini 3-in-1 assembly for in-store demonstrations
- Customized interactive tablet with videos and product selection tools
- Literature holder and brochures
- Product Merchandising Shelves to display supporting inventory
- Merchandise included with display include EZ Claw® tensioner systems, brackets, slings, and Grote OEM-spec gladhands and ULTRALINK® 3-in-1's

[Vist Product Page](#)



82-7000

82-7000 - Aluminum Tape, Multi-Purpose Aluminum Tape, 6" x 50'

Electrical Connections / Support & Protective

- Grote's high strength 2 mil aluminum foil tape delivers an optimal bond for reliable repairs
- The tape conforms well to fibrous, metal, and irregular surfaces providing an excellent seal and a strong barrier once installed
- This multi-purpose aluminum tape offers a reliable patching material, with resistance to flames, chemicals, extreme temperatures, humidity, and even UV radiation
- The tape is layered with a special cold-weather acrylic adhesive system which combines superior "quick stick" installs with durable below-freezing performance

[Vist Product Page](#)



00523

00523 - Warning & Hazard Displays, LED Mini Light Bar Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)



00533

00533 - Warning & Hazard Displays, LED Beacon and Directional Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)



00543

00543 - Warning & Hazard Displays, Dual Color LED Beacon and Directional Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)



00553

00553 - Warning & Hazard Displays, White Noise Backup Alarm Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)



00563

00563 - Warning & Hazard Displays, Material Handling and Compact Beacon Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)



00573

00573 - Warning & Hazard Displays, New Warning and Hazard Products Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)



54723-3

54723-3 - 6" Oval LED Sequential Arrow Side-Turn Lights, 6" Oval LED Sequential Arrow Side-Turn Light, Bulk pack

Signal Lighting / Stop Tail Turn Lights

- Sequential flashing arrow pattern highlights turns, drawing attention away from distractions
- Auxiliary light for mid-turn and/or wide-turn indications
- Meets legal requirements when mounted at 60 degrees
- Industry standard design fits existing mounting grommets, brackets, and flanges
- LED technology requires less maintenance and delivers long lamp life

[Vist Product Page](#)



54723

54723 - 6" Oval LED Sequential Arrow Side-Turn Lights, 6" Oval LED Sequential Arrow Side-Turn Light

Signal Lighting / Stop Tail Turn Lights

- Sequential flashing arrow pattern highlights turns, drawing attention away from distractions
- Auxiliary light for mid-turn and/or wide-turn indications
- Meets legal requirements when mounted at 60 degrees
- Industry standard design fits existing mounting grommets, brackets, and flanges
- LED technology requires less maintenance and delivers long lamp life

[Vist Product Page](#)



01-4244-70

01-4244-70 - Mounting Brackets for 7" Round Sealed Beam Headlights,

Other / Brackets & Grommets

- Individual Pack
- For mounting 64H71-5, 63101-5, and 90941-5

[Vist Product Page](#)