



New Products



82-2229

82-2229 - Universal Door Switches, Door Jam Switch - Plunger Style

Electrical Connections / Switches & Electrical Assemblies

- On when plunger is out
- Dual mounting holes 1 /38" x 2 1/16"
- Replaces Chrysler 882943, KF-204229
- 2 Positions: On-Off
- Normally On (Push to Off)
- (3) 8" 18 Ga. GPT wire leads
- Mounting: 1/2" -20 thread, stem 7/32" (5.6 mm) long
- Plunger: 3/16" (4.8 mm long)
- Self-tapping threads. Includes mating connector
- Self-adjusting

[Vist Product Page](#)



54812-3

54812-3 - Heated All-Weather Stop Tail Turn Lights, 6" Heated All-Weather Oval With Backup Hardshell - Bulk Pack

Signal Lighting / Stop Tail Turn Lights

- Decrease downtime and accelerate "walk-arounds" by reducing the need for drivers to scrape snow and ice from lights
- Keep lights free from snow and ice while driving in wintry conditions allowing you to stay visible, safe, and legally compliant with unobstructed lights
- Advanced thermal regulation technology monitors lens temperature to prevent overheating and reduce power consumption
- When the temperature of the lamp falls below 40 degrees, Grote's Heated 4-in-1 All-Weather STT Lights automatically begin transferring heat through the lens, actively preventing ice and snow buildup
- Bulk packs available to support retro-fit programs (16 pcs per carton)

[Vist Product Page](#)



54812

54812 - Heated All-Weather Stop Tail Turn Lights, 6" Heated All-Weather Oval With Backup Hardshell

Signal Lighting / Stop Tail Turn Lights

- Decrease downtime and accelerate "walk-arounds" by reducing the need for drivers to scrape snow and ice from lights
- Keep lights free from snow and ice while driving in wintry conditions allowing you to stay visible, safe, and legally compliant with unobstructed lights
- Advanced thermal regulation technology monitors lens temperature to prevent overheating and reduce power consumption
- When the temperature of the lamp falls below 40 degrees, Grote's Heated 4-in-1 All-Weather STT Lights automatically begin transferring heat through the lens, actively preventing ice and snow buildup
- Bulk packs available to support retro-fit programs (16 pcs per carton)

[Vist Product Page](#)



82-5759

82-5759 - Booster Cables - Twin Conductor, Black & Yellow, 8 Gauge

Electrical Connections / Battery Connectors & Cables

- Make up your own Booster Cables
- Can be used with SB type connectors for plug in convenience
- Ideal for tarps system (dump truck/dump trailer)
- Combine with heavy duty clamps for superior charging power
- Stays flexible in cold weather; bonded cable resists tangling
- Temperature rated to -40°F (-40°C); Rated @ 60V or less
- 100% fine-stranded copper meets SAE J1127 specifications

[Vist Product Page](#)



81-2338

81-2338 - EZ Claw Tensioner System, Versa Short Mount Kit

Electrical Connections / Air Products

- Contains (1) 25 lb. tensioner, (1) sling for 3-in-1 lines, (1) Versa Mount Bracket Short, and (1) International Adapter Bracket
- Fits International day cabs w/ L channel & International day cabs w/ airfoil using C channel
- This kit provides 11" of clearance off the back of the cab. This keeps air hoses and electrical cords from rubbing against the back of the cab and also keeps them adequately supported off the catwalk
- Mounting hardware included
- Keeps air lines and electrical cords off the deckplate / catwalk
- Prevents chafing and costly downtime due to parts failure
- Allows for 90° turns keeping hoses safe & secure

[Vist Product Page](#)



81-2339

81-2339 - EZ Claw Tensioner System, Center Post Mount Kit - 3-in-1 & Hydraulic w/ (3) Slings

Electrical Connections / Air Products

- Contains (1) Centre Post Mount (1) 25LB Universal Tensioner (1) 40LB Universal Tensioner (3) EZ Claw Slings
- Frame-mounted solution for suspending pneumatic, electric and hydraulic hoses in a central location behind the cab
- Reduces hose and line failure due to excessive, unsupported movements and/or rubbing
- The 72" post keeps lines a minimum 6" off the catwalk
- Supports up to 160 lbs. of hoses and cables
- Mounting hardware included
- Keeps air lines and electrical cords off the deckplate / catwalk
- Prevents chafing and costly downtime due to parts failure
- Allows for 90° turns keeping hoses safe & secure

[Vist Product Page](#)



81-2340

81-2340 - EZ Claw Tensioner System, Yard Truck Kit with hose and cable holder

Electrical Connections / Air Products

- Contains (1) 25LB Universal Tensioner - right orientation and (1) hose and cable holder 3/8-3/8
- (1) 25 lb. tensioner and (1) hose & cable block for 3-in-1 lines
- Designed to support air hoses and electrical cords on yard hostlers
- Mounting hardware and installation instructions are included
- Keeps the hoses 6" above the catwalk and clear of the rear pass-through door
- Keeps air lines and electrical cords off the deckplate / catwalk
- Prevents chafing and costly downtime due to parts failure
- Allows for 90° turns keeping hoses safe & secure

[Vist Product Page](#)



82-5904-200

82-5904-200 - Portable Extension Cables - Type SJEOWW, Length 200'

Electrical Connections / Wire & Cable

- Black TPE Jacket provides premium oil resistance, sunlight, chemical, and water resistance
- Rated at 300 Volts, Meets UL and CSA specifications
- Cable is suitable for use in temperatures between -40°F and +221°F (-40°C to +105°C)
- Ideal for indoor and outdoor temporary power use, such as for portable industrial machinery, compressors, conveyors, and automated production equipment
- All extension cord is spooled

[Vist Product Page](#)



82-5520-1000

82-5520-1000 - PVC Jacketed Brake Cable, Length 1000'

Electrical Connections / Wire & Cable

- Resists grease, oil, gasoline and acids
- Used for automotive, truck and marine applications
- Maximum temperature rating -40°C (-40°F) to 85°C (185°F)
- Internal wires meet SAE J1128 specifications
- Temperature ratings: 60°C (140°F)

[Vist Product Page](#)



83-8003-3200

83-8003-3200 - Split Flex Convoluted Tubing, Polyethylene Split Loom, Length 3200', Size 1/4"

Electrical Connections / Support & Protective

- Provides excellent chemical protection
- Allows flexible routing of wire, cable, hoses
- Protects hoses, wire, and cables from extreme heat and abrasion
- Helps reduce noise and protects wires from stones and other harmful debris
- Slit opening allows for easy installation of wires
- The slit snaps closed after installation to maintain its protective properties
- Applications: Automotive, Truck, Bus, Trailer, Marine, R.V., OE harness manufacturing

[Vist Product Page](#)



73480

73480 - Multi-Frequency and White Noise Alarms, White Noise Backup Alarm, Multi Frequency, 97dB

Warning & Hazard / Audible Devices

- The “White Noise” function reduces noise pollution (ideal for use in residential areas) but still provides excellent and locatable sound in the danger zones behind vehicles
- Improves worker safety with its acoustically friendly and locatable sound, reducing confusion and improving audibility
- Helps to eliminate noise complaints at job sites, delivering compliance to municipal and regional noise regulations
- The rugged black housing is made from durable, glass-filled nylon, and is epoxy-sealed to protect against dust, moisture, and vibration
- The 73480 mounts in a standard 4" grommet, providing a fast and easy installation that provides added protection against damage from debris

[Vist Product Page](#)



82-5709-P500

82-5709-P500 - Battery Cables - Type SGR, Length 500'

Electrical Connections / Battery Connectors & Cables

- Rated @ 60V
- 100% Copper Cable
- All Battery Cable is spooled
- Meets all SAE code J1127 specifications

[Vist Product Page](#)



82-6709-P500

82-6709-P500 - Battery Cables - Type SGR, Length 500'

Electrical Connections / Battery Connectors & Cables

- Rated @ 60V
- 100% Copper Cable
- All Battery Cable is spooled
- Meets all SAE code J1127 specifications

[Vist Product Page](#)



82-5625

82-5625 - Trailer Cable, PVC, Length 250'

Electrical Connections / Wire & Cable

- Used for wiring trucks and trailers; Jacket provides protection from weather and abrasive materials

[Vist Product Page](#)



83-8038-3

83-8038-3 - Split Flex Convoluted Tubing, Nylon Split Loom, 250' Length, Size 1 1/4"

Electrical Connections / Support & Protective

- Provides excellent chemical protection
- Allows flexible routing of wire, cable, hoses
- Protects hoses, wire, and cables from extreme heat and abrasion
- Helps reduce noise and protects wires from stones and other harmful debris
- Slit opening allows for easy installation of wires
- The slit snaps closed after installation to maintain its protective properties
- Applications: Automotive, Truck, Bus, Trailer, Marine, R.V., OE harness manufacturing

[Vist Product Page](#)



83-8001-3-R

83-8001-3-R - Split Flex Convoluted Tubing, Polyethylene Split Loom, Length 500', Size 1/2"

Electrical Connections / Support & Protective

- Provides excellent chemical protection
- Allows flexible routing of wire, cable, hoses
- Protects hoses, wire, and cables from extreme heat and abrasion
- Helps reduce noise and protects wires from stones and other harmful debris
- Slit opening allows for easy installation of wires
- The slit snaps closed after installation to maintain its protective properties
- Applications: Automotive, Truck, Bus, Trailer, Marine, R.V., OE harness manufacturing

[Vist Product Page](#)



87-8514

87-8514 - (GPT) General Purpose Thermoplastic Wire, Length 500' Pink

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



87-8503

87-8503 - (GPT) General Purpose Thermoplastic Wire, Length 500' Gray

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



87-8512

87-8512 - (GPT) General Purpose Thermoplastic Wire, Length 500' Orange

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



87-8513

87-8513 - (GPT) General Purpose Thermoplastic Wire, Length 500' Purple

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



88-9111

88-9111 - (GPT) General Purpose Thermoplastic Wire, Length 1000' Yellow

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



88-9110

88-9110 - (GPT) General Purpose Thermoplastic Wire, Length 1000' Blue

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



88-9107

88-9107 - (GPT) General Purpose Thermoplastic Wire, Length 1000' White

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



88-9101

88-9101 - (GPT) General Purpose Thermoplastic Wire, Length 1000' Brown

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



88-9106

88-9106 - (GPT) General Purpose Thermoplastic Wire, Length 1000' Green

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



88-9102

88-9102 - (GPT) General Purpose Thermoplastic Wire, Length 1000' Black

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



88-9100

88-9100 - (GPT) General Purpose Thermoplastic Wire, Length 1000' Red

Electrical Connections / Wire & Cable

- Temperature rating -40°C (-40°F) to 80°C (176°F)
- Available in 25', 100' spools, 1000' also available
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Meets SAE code J1128 specifications
- Used for automotive, truck & marine applications

[Vist Product Page](#)



79245

79245 - Compact LED Beacons, Permanent Mount, Class I, Blue with Clear Lens

Warning & Hazard / Beacons

- 12 customer selectable flash patterns in either of two phases, plus steady-on
- S-Link™ 2.0 System allows for flash pattern synchronization with up to ten other S-Link compatible units (for hardwire models only)
- Polycarbonate lens and base (Ultrasonic welded); Polarity protected
- Three-hole, permanent mount and magnet mount with pattern select aux. plug

[Vist Product Page](#)



54822

54822 - Heated All-Weather Stop Tail Turn Lights, 6" Heated All-Weather Oval Hardshell

Signal Lighting / Stop Tail Turn Lights

- Decrease downtime and accelerate "walk-arounds" by reducing the need for drivers to scrape snow and ice from lights
- Keep lights free from snow and ice while driving in wintry conditions allowing you to stay visible, safe, and legally compliant with unobstructed lights
- Advanced thermal regulation technology monitors lens temperature to prevent overheating and reduce power consumption
- When the temperature of the lamp falls below 40 degrees, Grote's Heated 4-in-1 All-Weather STT Lights automatically begin transferring heat through the lens, actively preventing ice and snow buildup
- Bulk packs available to support retro-fit programs (16 pcs per carton)

[Vist Product Page](#)



54822-3

54822-3 - Heated All-Weather Stop Tail Turn Lights, 6" Heated All-Weather Oval Hardshell - Bulk Pack

Signal Lighting / Stop Tail Turn Lights

- Decrease downtime and accelerate "walk-arounds" by reducing the need for drivers to scrape snow and ice from lights
- Keep lights free from snow and ice while driving in wintry conditions allowing you to stay visible, safe, and legally compliant with unobstructed lights
- Advanced thermal regulation technology monitors lens temperature to prevent overheating and reduce power consumption
- When the temperature of the lamp falls below 40 degrees, Grote's Heated 4-in-1 All-Weather STT Lights automatically begin transferring heat through the lens, actively preventing ice and snow buildup
- Bulk packs available to support retro-fit programs (16 pcs per carton)

[Vist Product Page](#)



55022

55022 - Heated All-Weather Stop Tail Turn Lights, 4" Heated All-Weather STT Hardshell

Signal Lighting / Stop Tail Turn Lights

- Decrease downtime and accelerate "walk-arounds" by reducing the need for drivers to scrape snow and ice from lights
- Keep lights free from snow and ice while driving in wintry conditions allowing you to stay visible, safe, and legally compliant with unobstructed lights
- Advanced thermal regulation technology monitors lens temperature to prevent overheating and reduce power consumption
- When the temperature of the lamp falls below 40 degrees, Grote's Heated 4-in-1 All-Weather STT Lights automatically begin transferring heat through the lens, actively preventing ice and snow buildup
- Bulk packs available to support retro-fit programs (16 pcs per carton)

[Vist Product Page](#)



55022-3

55022-3 - Heated All-Weather Stop Tail Turn Lights, 4" Heated All-Weather STT Hardshell - Bulk Pack

Signal Lighting / Stop Tail Turn Lights

- Decrease downtime and accelerate "walk-arounds" by reducing the need for drivers to scrape snow and ice from lights
- Keep lights free from snow and ice while driving in wintry conditions allowing you to stay visible, safe, and legally compliant with unobstructed lights
- Advanced thermal regulation technology monitors lens temperature to prevent overheating and reduce power consumption
- When the temperature of the lamp falls below 40 degrees, Grote's Heated 4-in-1 All-Weather STT Lights automatically begin transferring heat through the lens, actively preventing ice and snow buildup
- Bulk packs available to support retro-fit programs (16 pcs per carton)

[Vist Product Page](#)



55262

55262 - Heated All-Weather Stop Tail Turn Lights, 4" Heated All-Weather STT With Backup Hardshell

Signal Lighting / Stop Tail Turn Lights

- Decrease downtime and accelerate "walk-arounds" by reducing the need for drivers to scrape snow and ice from lights
- Keep lights free from snow and ice while driving in wintry conditions allowing you to stay visible, safe, and legally compliant with unobstructed lights
- Advanced thermal regulation technology monitors lens temperature to prevent overheating and reduce power consumption
- When the temperature of the lamp falls below 40 degrees, Grote's Heated 4-in-1 All-Weather STT Lights automatically begin transferring heat through the lens, actively preventing ice and snow buildup
- Bulk packs available to support retro-fit programs (16 pcs per carton)

[Vist Product Page](#)



55262-3

55262-3 - Heated All-Weather Stop Tail Turn Lights, 4" Heated All-Weather STT With Backup Hardshell - Bulk Pack

Signal Lighting / Stop Tail Turn Lights

- Decrease downtime and accelerate "walk-arounds" by reducing the need for drivers to scrape snow and ice from lights
- Keep lights free from snow and ice while driving in wintry conditions allowing you to stay visible, safe, and legally compliant with unobstructed lights
- Advanced thermal regulation technology monitors lens temperature to prevent overheating and reduce power consumption
- When the temperature of the lamp falls below 40 degrees, Grote's Heated 4-in-1 All-Weather STT Lights automatically begin transferring heat through the lens, actively preventing ice and snow buildup
- Bulk packs available to support retro-fit programs (16 pcs per carton)

[Vist Product Page](#)




73430

73430 - Multi-Frequency and White Noise Alarms, White Noise Backup Alarm, Multi Frequency, Self Adjusting, 87-107dB

Warning & Hazard / Audible Devices

- The "White Noise" function reduces noise pollution (ideal for use in residential areas) while still providing excellent and locatable sound in the danger zones behind vehicles
- Improves worker safety with its acoustically friendly and locatable sound, reducing confusion and improving audibility
- Helps to eliminate noise complaints at job sites, delivering compliance to municipal and regional noise regulations
- The rugged and familiar blue housing features glass-filled nylon and a durable urethane potting material to withstand challenging work environments
- Grote Alarms feature a standard mounting configuration for quick installations, retrofits, and replacements, and the blunt cut wires make installation simple and straightforward
- Grote's self-adjusting alarms detect ambient noise in the work environment and can get louder when necessary to ensure a safe work zone

[Vist Product Page](#)



73440

73440 - Multi-Frequency and White Noise Alarms, White Noise Backup Alarm, Multi Frequency, Self Adjusting, 77-97dB

Warning & Hazard / Audible Devices

- The “White Noise” function reduces noise pollution (ideal for use in residential areas) while still providing excellent and locatable sound in the danger zones behind vehicles
- Improves worker safety with its acoustically friendly and locatable sound, reducing confusion and improving audibility
- Helps to eliminate noise complaints at job sites, delivering compliance to municipal and regional noise regulations
- The rugged and familiar blue housing features glass-filled nylon and a durable urethane potting material to withstand challenging work environments
- Grote Alarms feature a standard mounting configuration for quick installations, retrofits, and replacements, and the blunt cut wires make installation simple and straightforward
- Grote’s self-adjusting alarms detect ambient noise in the work environment and can get louder when necessary to ensure a safe work zone

[Vist Product Page](#)



73020

73020 - Specialty Backup Alarms, Dual Alert Smart Alarm, 87dB to 112dB, 12-24V

Warning & Hazard / Audible Devices

- The primary alarm tone automatically adjusts volume from 87 to 112 dB based on environmental noise levels, ensuring it's heard clearly as a back-up alarm in any setting
- A unique secondary warble tone provides an additional, attention-grabbing sound, ideal for signaling other safety hazards like moving liftgates or equipment in motion
- Built to last, with glass-filled nylon housings for added strength and resilience in demanding environments
- Designed with universal mounting options and a straightforward 3-wire installation, making it adaptable to various equipment types
- Engineered with a rear-facing design to shield the speaker from the elements and hazards like dust and moisture, enhancing durability and ensuring reliable performance over time
- Rugged construction with glass-filled nylon housings
- Offer distinct tones and alert allowing equipment to provide audible warnings for different scenarios
- Universal mounting including grommet mounted products
- Available in a range of decibel output levels to fit wide variety of application needs

[Vist Product Page](#)



79254

79254 - Compact LED Beacons, Magnet Mount, Class III, Green with Clear Lens

Warning & Hazard / Beacons

- 12 customer selectable flash patterns in either of two phases, plus steady-on
- S-Link™ 2.0 System allows for flash pattern synchronization with up to ten other S-Link compatible units (for hardwire models only)
- Polycarbonate lens and base (Ultrasonic welded); Polarity protected
- Three-hole, permanent mount and magnet mount with pattern select aux. plug

[Vist Product Page](#)



79255

79255 - Compact LED Beacons, Magnet Mount, Class I, Blue with Clear Lens

Warning & Hazard / Beacons

- 12 customer selectable flash patterns in either of two phases, plus steady-on
- S-Link™ 2.0 System allows for flash pattern synchronization with up to ten other S-Link compatible units (for hardwire models only)
- Polycarbonate lens and base (Ultrasonic welded); Polarity protected
- Three-hole, permanent mount and magnet mount with pattern select aux. plug

[Vist Product Page](#)



79244

79244 - Compact LED Beacons, Permanent Mount, Class III, Green with Clear Lens

Warning & Hazard / Beacons

- 12 customer selectable flash patterns in either of two phases, plus steady-on
- S-Link™ 2.0 System allows for flash pattern synchronization with up to ten other S-Link compatible units (for hardwire models only)
- Polycarbonate lens and base (Ultrasonic welded); Polarity protected
- Three-hole, permanent mount and magnet mount with pattern select aux. plug

[Vist Product Page](#)



63H91-5

63H91-5 - LED Remote Work Lights, G360 LED Remote Work Light with Remote Control

White Light / Work Lighting

- The waterproof and dust-tight design (IP67/IP69K) makes it perfect for utility and construction work
- The versatile remote control can be used wirelessly with the included A23 battery, or connected with a cable for battery-free installation
- Provides reverse polarity and short-circuit protection for simplified installation
- Automatically returns to home position when powered off

[Vist Product Page](#)



01065-18

01065-18 - EZ Claw® Demo Displays, EZ Claw® Demo Display

Other / Retail Displays

- Available only in the USA (Lower 48)
- Fit-Anywhere foot print of just 3' x 3'
- Sturdy steel display with eye-catching colors and graphics
- Working tensioner with mini 3-in-1 assembly for in-store demonstrations
- Customized interactive tablet with videos and product selection tools
- Literature holder and brochures
- Product Merchandising Shelves to display supporting inventory
- Merchandise included with display include EZ Claw® tensioner systems, brackets, slings, and Grote OEM-spec gladhands and ULTRALINK® 3-in-1's

[Vist Product Page](#)



82-7000

82-7000 - Aluminum Tape, Multi-Purpose Aluminum Tape, 6" x 50'

Electrical Connections / Support & Protective

- Grote's high strength 2 mil aluminum foil tape delivers an optimal bond for reliable repairs
- The tape conforms well to fibrous, metal, and irregular surfaces providing an excellent seal and a strong barrier once installed
- This multi-purpose aluminum tape offers a reliable patching material, with resistance to flames, chemicals, extreme temperatures, humidity, and even UV radiation
- The tape is layered with a special cold-weather acrylic adhesive system which combines superior "quick stick" installs with durable below-freezing performance

[Vist Product Page](#)



00523

00523 - Warning & Hazard Displays, LED Mini Light Bar Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)



00533

00533 - Warning & Hazard Displays, LED Beacon and Directional Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)



00543

00543 - Warning & Hazard Displays, Dual Color LED Beacon and Directional Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)



00553

00553 - Warning & Hazard Displays, White Noise Backup Alarm Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)



00563

00563 - Warning & Hazard Displays, Material Handling and Compact Beacon Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)



00573

00573 - Warning & Hazard Displays, New Warning and Hazard Products Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)