



New Products



63H91-5

63H91-5 - LED Remote Work Lights, G360 LED Remote Work Light with Remote Control

White Light / Work Lighting

- The waterproof and dust-tight design (IP67/IP69K) makes it perfect for utility and construction work
- The versatile remote control can be used wirelessly with the included A23 battery, or connected with a cable for battery-free installation
- Provides reverse polarity and short-circuit protection for simplified installation
- Automatically returns to home position when powered off

[Vist Product Page](#)



82-7000

82-7000 - Aluminum Tape, Multi-Purpose Aluminum Tape, 6" x 50'

Electrical Connections / Support & Protective

- Grote's high strength 2 mil aluminum foil tape delivers an optimal bond for reliable repairs
- The tape conforms well to fibrous, metal, and irregular surfaces providing an excellent seal and a strong barrier once installed
- This multi-purpose aluminum tape offers a reliable patching material, with resistance to flames, chemicals, extreme temperatures, humidity, and even UV radiation
- The tape is layered with a special cold-weather acrylic adhesive system which combines superior "quick stick" installs with durable below-freezing performance

[Vist Product Page](#)



00523

00523 - Warning & Hazard Displays, LED Mini Light Bar Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)



00533

00533 - Warning & Hazard Displays, LED Beacon and Directional Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)



00543

00543 - Warning & Hazard Displays, Dual Color LED Beacon and Directional Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)



00553

00553 - Warning & Hazard Displays, White Noise Backup Alarm Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)



00563

00563 - Warning & Hazard Displays, Material Handling and Compact Beacon Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)



00573

00573 - Warning & Hazard Displays, New Warning and Hazard Products Display

Other / Retail Displays

- Sturdy and compact display shelves that can be installed on pegboard, slatwall or simply on a shelf or counter
- Includes a standard power supply for an easy plug-and-play set-up in your store or showroom
- Features eye-catching graphics aligned with Grote's retail packaging to support your overall merchandising and customer experience
- Includes two peg board S-hooks for easy installation

[Vist Product Page](#)



54723-3

54723-3 - 6" Oval LED Sequential Arrow Side-Turn Lights, 6" Oval LED Sequential Arrow Side-Turn Light, Bulk pack

Signal Lighting / Stop Tail Turn Lights

- Sequential flashing arrow pattern highlights turns, drawing attention away from distractions
- Auxiliary light for mid-turn and/or wide-turn indications
- Meets legal requirements when mounted at 60 degrees
- Industry standard design fits existing mounting grommets, brackets, and flanges
- LED technology requires less maintenance and delivers long lamp life

[Vist Product Page](#)



54723

54723 - 6" Oval LED Sequential Arrow Side-Turn Lights, 6" Oval LED Sequential Arrow Side-Turn Light

Signal Lighting / Stop Tail Turn Lights

- Sequential flashing arrow pattern highlights turns, drawing attention away from distractions
- Auxiliary light for mid-turn and/or wide-turn indications
- Meets legal requirements when mounted at 60 degrees
- Industry standard design fits existing mounting grommets, brackets, and flanges
- LED technology requires less maintenance and delivers long lamp life

[Vist Product Page](#)




73340

73340 - Multi-Frequency and White Noise Alarms, White Noise Backup Alarm, Multi frequency, 97dB

Warning & Hazard / Audible Devices

- White Noise function reduces noise pollution (ideal for use in residential areas) but still provides excellent and locatable sound in the danger zones behind vehicles.
- Improves worker safety with its acoustically friendly and locatable sound, reducing confusion and improving audibility.
- Helps to eliminate noise complaints at job sites, and delivers compliance to municipal and regional noise regulations.
- The rugged and familiar blue housing features glass-filled nylon and a durable urethane potting material to withstand challenging work environments.
- Grote alarms feature a standard mounting configuration for quick installations, retrofits, and replacements, and the blunt cut wires make installation simple and straightforward.

[Vist Product Page](#)



73450

73450 - Multi-Frequency and White Noise Alarms, White Noise Backup Alarm, Multi frequency, Reverse speaker, 97dB, 12V/24V

Warning & Hazard / Audible Devices

- White Noise function reduces noise pollution (ideal for use in residential areas) but still provides excellent and locatable sound in the danger zones behind vehicles.
- Improves worker safety with its acoustically friendly and locatable sound, reducing confusion and improving audibility.
- Helps to eliminate noise complaints at job sites, and delivers compliance to municipal and regional noise regulations.
- The rugged and familiar blue housing features glass-filled nylon and a durable urethane potting material to withstand challenging work environments.
- Grote alarms feature a standard mounting configuration for quick installations, retrofits, and replacements, and the blunt cut wires make installation simple and straightforward.

[Vist Product Page](#)



01-4244-70

01-4244-70 - Mounting Brackets for 7" Round Sealed Beam Headlights,

Other / Brackets & Grommets

- Individual Pack
- For mounting 64H71-5, 63101-5, and 90941-5

[Vist Product Page](#)



73460

73460 - Multi-Frequency and White Noise Alarms, White Noise Backup Alarm, Multi frequency, Reverse speaker, 102dB, 12/24V

Warning & Hazard / Audible Devices

- White Noise function reduces noise pollution (ideal for use in residential areas) but still provides excellent and locatable sound in the danger zones behind vehicles.
- Improves worker safety with its acoustically friendly and locatable sound, reducing confusion and improving audibility.
- Helps to eliminate noise complaints at job sites, and delivers compliance to municipal and regional noise regulations.
- The rugged and familiar blue housing features glass-filled nylon and a durable urethane potting material to withstand challenging work environments.
- Grote alarms feature a standard mounting configuration for quick installations, retrofits, and replacements, and the blunt cut wires make installation simple and straightforward.

[Vist Product Page](#)



73470

73470 - Multi-Frequency and White Noise Alarms, White Noise Backup Alarm, Multi frequency, Reverse speaker, 107dB, 12/24V

Warning & Hazard / Audible Devices

- White Noise function reduces noise pollution (ideal for use in residential areas) but still provides excellent and locatable sound in the danger zones behind vehicles.
- Improves worker safety with its acoustically friendly and locatable sound, reducing confusion and improving audibility.
- Helps to eliminate noise complaints at job sites, and delivers compliance to municipal and regional noise regulations.
- The rugged and familiar blue housing features glass-filled nylon and a durable urethane potting material to withstand challenging work environments.
- Grote alarms feature a standard mounting configuration for quick installations, retrofits, and replacements, and the blunt cut wires make installation simple and straightforward.

[Vist Product Page](#)



81-1034-50B

81-1034-50B - Air Brake Tubing - Bulk, Length 50', Diameter 3/4"

Electrical Connections / Air Products

- UV and ozone resistant nylon material
- Resistant to gasoline, diesel fuel and other road chemicals
- Meets or exceeds SAE J844 (Type A - non-reinforced & Type B - reinforced)
- Meets or exceeds SAE J844, DOT FMVSS (49 CFR 571.106) & FMCSA (393.45)
- Meets or exceeds DOT requirements for use with compression fittings
- Operates at up to 150 psi in air brake systems; Operating range: -40°F to 200°F

[Vist Product Page](#)



81-1058-50B

81-1058-50B - Air Brake Tubing - Bulk, Length 50', Diameter 5/8"

Electrical Connections / Air Products

- UV and ozone resistant nylon material
- Resistant to gasoline, diesel fuel and other road chemicals
- Meets or exceeds SAE J844 (Type A - non-reinforced & Type B - reinforced)
- Meets or exceeds SAE J844, DOT FMVSS (49 CFR 571.106) & FMCSA (393.45)
- Meets or exceeds DOT requirements for use with compression fittings
- Operates at up to 150 psi in air brake systems; Operating range: -40°F to 200°F

[Vist Product Page](#)



81-1038-50B

81-1038-50B - Air Brake Tubing - Bulk, Length 50', Diameter 3/8"

Electrical Connections / Air Products

- UV and ozone resistant nylon material
- Resistant to gasoline, diesel fuel and other road chemicals
- Meets or exceeds SAE J844 (Type A - non-reinforced & Type B - reinforced)
- Meets or exceeds SAE J844, DOT FMVSS (49 CFR 571.106) & FMCSA (393.45)
- Meets or exceeds DOT requirements for use with compression fittings
- Operates at up to 150 psi in air brake systems; Operating range: -40°F to 200°F

[Vist Product Page](#)



81-1012-50B

81-1012-50B - Air Brake Tubing - Bulk, Length 50', Diameter 1/2"

Electrical Connections / Air Products

- UV and ozone resistant nylon material
- Resistant to gasoline, diesel fuel and other road chemicals
- Meets or exceeds SAE J844 (Type A - non-reinforced & Type B - reinforced)
- Meets or exceeds SAE J844, DOT FMVSS (49 CFR 571.106) & FMCSA (393.45)
- Meets or exceeds DOT requirements for use with compression fittings
- Operates at up to 150 psi in air brake systems; Operating range: -40°F to 200°F

[Vist Product Page](#)



82-MIDA-200A

82-MIDA-200A - Compact Bolt-On Fuses, 200A

Fuse & Circuit Protection / Fuses

- MIDI style
- Compact and cost-effective circuit protection system for high-current, low-voltage applications associated with DC battery operated equipment.
- Fast acting and designed to open within seconds of being exposed to an overcurrent, this fuse is manufactured to bolt onto mountings for a secure hold that withstands vibrations.
- With color coding for easy amperage identification and a translucent body that allows offers visibility of the fuse element.
- Amperages: 30A ~ 200A

[Vist Product Page](#)



82-MIDA-125A

82-MIDA-125A - Compact Bolt-On Fuses, 125A

Fuse & Circuit Protection / Fuses

- MIDI style
- Compact and cost-effective circuit protection system for high-current, low-voltage applications associated with DC battery operated equipment.
- Fast acting and designed to open within seconds of being exposed to an overcurrent, this fuse is manufactured to bolt onto mountings for a secure hold that withstands vibrations.
- With color coding for easy amperage identification and a translucent body that allows offers visibility of the fuse element.
- Amperages: 30A ~ 200A

[Vist Product Page](#)



82-MIDA-150A

82-MIDA-150A - Compact Bolt-On Fuses, 150A

Fuse & Circuit Protection / Fuses

- MIDI style
- Compact and cost-effective circuit protection system for high-current, low-voltage applications associated with DC battery operated equipment.
- Fast acting and designed to open within seconds of being exposed to an overcurrent, this fuse is manufactured to bolt onto mountings for a secure hold that withstands vibrations.
- With color coding for easy amperage identification and a translucent body that allows offers visibility of the fuse element.
- Amperages: 30A ~ 200A

[Vist Product Page](#)



82-MIDA-80A

82-MIDA-80A - Compact Bolt-On Fuses, 80A

Fuse & Circuit Protection / Fuses

- MIDI style
- Compact and cost-effective circuit protection system for high-current, low-voltage applications associated with DC battery operated equipment.
- Fast acting and designed to open within seconds of being exposed to an overcurrent, this fuse is manufactured to bolt onto mountings for a secure hold that withstands vibrations.
- With color coding for easy amperage identification and a translucent body that allows offers visibility of the fuse element.
- Amperages: 30A ~ 200A

[Vist Product Page](#)



82-MIDA-100A

82-MIDA-100A - Compact Bolt-On Fuses, 100A

Fuse & Circuit Protection / Fuses

- MIDI style
- Compact and cost-effective circuit protection system for high-current, low-voltage applications associated with DC battery operated equipment.
- Fast acting and designed to open within seconds of being exposed to an overcurrent, this fuse is manufactured to bolt onto mountings for a secure hold that withstands vibrations.
- With color coding for easy amperage identification and a translucent body that allows offers visibility of the fuse element.
- Amperages: 30A ~ 200A

[Vist Product Page](#)



82-MIDA-70A

82-MIDA-70A - Compact Bolt-On Fuses, 70A

Fuse & Circuit Protection / Fuses

- MIDI style
- Compact and cost-effective circuit protection system for high-current, low-voltage applications associated with DC battery operated equipment.
- Fast acting and designed to open within seconds of being exposed to an overcurrent, this fuse is manufactured to bolt onto mountings for a secure hold that withstands vibrations.
- With color coding for easy amperage identification and a translucent body that allows offers visibility of the fuse element.
- Amperages: 30A ~ 200A

[Vist Product Page](#)



82-MIDA-60A

82-MIDA-60A - Compact Bolt-On Fuses, 60A

Fuse & Circuit Protection / Fuses

- MIDI style
- Compact and cost-effective circuit protection system for high-current, low-voltage applications associated with DC battery operated equipment.
- Fast acting and designed to open within seconds of being exposed to an overcurrent, this fuse is manufactured to bolt onto mountings for a secure hold that withstands vibrations.
- With color coding for easy amperage identification and a translucent body that allows offers visibility of the fuse element.
- Amperages: 30A ~ 200A

[Vist Product Page](#)



82-MIDA-40A

82-MIDA-40A - Compact Bolt-On Fuses, 40A

Fuse & Circuit Protection / Fuses

- MIDI style
- Compact and cost-effective circuit protection system for high-current, low-voltage applications associated with DC battery operated equipment.
- Fast acting and designed to open within seconds of being exposed to an overcurrent, this fuse is manufactured to bolt onto mountings for a secure hold that withstands vibrations.
- With color coding for easy amperage identification and a translucent body that allows offers visibility of the fuse element.
- Amperages: 30A ~ 200A

[Vist Product Page](#)



82-MIDA-50A

82-MIDA-50A - Compact Bolt-On Fuses, 50A

Fuse & Circuit Protection / Fuses

- MIDI style
- Compact and cost-effective circuit protection system for high-current, low-voltage applications associated with DC battery operated equipment.
- Fast acting and designed to open within seconds of being exposed to an overcurrent, this fuse is manufactured to bolt onto mountings for a secure hold that withstands vibrations.
- With color coding for easy amperage identification and a translucent body that allows offers visibility of the fuse element.
- Amperages: 30A ~ 200A

[Vist Product Page](#)



82-MIDA-30A

82-MIDA-30A - Compact Bolt-On Fuses, 30A

Fuse & Circuit Protection / Fuses

- MIDI style
- Compact and cost-effective circuit protection system for high-current, low-voltage applications associated with DC battery operated equipment.
- Fast acting and designed to open within seconds of being exposed to an overcurrent, this fuse is manufactured to bolt onto mountings for a secure hold that withstands vibrations.
- With color coding for easy amperage identification and a translucent body that allows offers visibility of the fuse element.
- Amperages: 30A ~ 200A

[Vist Product Page](#)



81-3015

81-3015 - 3-in-1 Plug-and-Go™ Power Cord and Air Assemblies, Power Cord and Air Assembly, 15'

Electrical Connections / Air Products

- Features a power cord that meets or exceeds SAE J2394 (ABS) ensuring a reliable, safe, and compliant connection to critical trailer safety systems
- Offers premium features like crimped terminations, round-cut spiral wrap, and durable rubber gladhandles
- Air lines meet DOT J1402, Type A regulations; 3/8" I.D.; 225 psi working pressure
- Air lines meet DOT FVSS No. 106 regulations and are resistant to gasoline, diesel fuel, oil, and other chemicals
- Includes a stainless steel clamp and snap clip for a durable and easy installation
- Available in trilingual, retail-friendly packaging designed for the North American market

[Vist Product Page](#)



81-3012

81-3012 - 3-in-1 Plug-and-Go™ Power Cord and Air Assemblies, Power Cord and Air Assembly, 12'

Electrical Connections / Air Products

- Features a power cord that meets or exceeds SAE J2394 (ABS) ensuring a reliable, safe, and compliant connection to critical trailer safety systems
- Offers premium features like crimped terminations, round-cut spiral wrap, and durable rubber gladhandles
- Air lines meet DOT J1402, Type A regulations; 3/8" I.D.; 225 psi working pressure
- Air lines meet DOT FVSS No. 106 regulations and are resistant to gasoline, diesel fuel, oil, and other chemicals
- Includes a stainless steel clamp and snap clip for a durable and easy installation
- Available in trilingual, retail-friendly packaging designed for the North American market

[Vist Product Page](#)



462RH-KIT

462RH-KIT - Auxiliary LED Marker Lamp Kits, Right Hand LED Auxiliary Marker Lamp Kit

Signal Lighting / Clearance Marker Lights

- Available in Canada Only
- Grote's Auxiliary LED Marker Lamps are ideal for protecting vehicles in tight spaces
- The durable and flexible rubber mounting arm ensures a long life and reduces the likelihood of impact damage
- The small mounting footprint allows it to be mounted securely on most surfaces
- Kits include a 24" jumper cable to easily connect to Grote's UBS harness system with standard bullet terminals
- Featuring reliable LED technology, this lamp helps drivers negotiate tight passages and helps your vehicle be more visible to other drivers

[Vist Product Page](#)



462LH-KIT

462LH-KIT - Auxiliary LED Marker Lamp Kits, Left Hand LED Auxiliary Marker Lamp Kit

Signal Lighting / Clearance Marker Lights

- Available in Canada Only
- Grote's Auxiliary LED Marker Lamps are ideal for protecting vehicles in tight spaces
- The durable and flexible rubber mounting arm ensures a long life and reduces the likelihood of impact damage
- The small mounting footprint allows it to be mounted securely on most surfaces
- Kits include a 24" jumper cable to easily connect to Grote's UBS harness system with standard bullet terminals
- Featuring reliable LED technology, this lamp helps drivers negotiate tight passages and helps your vehicle be more visible to other drivers

[Vist Product Page](#)



93605

93605 - Brackets for Warning & Hazard Lights, 1/2" Mirror Mounting Bracket

Warning & Hazard / Warning & Hazard Lights Accessories

[Vist Product Page](#)



81-2320

81-2320 - EZ Claw Tensioner System, Hydraulic Tensioner System - Under Trailer - 25 lbs

Electrical Connections / Air Products

- 25-lb. weight capacity
- Kit includes: Tensioner, Hose and cable block, Sling, Mounting hardware
- Allows for 84 inches of overall hose travel
- Aircraft-grade stainless steel cable
- Will not rust and break like traditional springs
- Keeps air lines and electrical cords off the deckplate / catwalk
- Prevents chafing and costly downtime due to parts failure
- Allows for 90° turns keeping hoses safe & secure

[Vist Product Page](#)



81-2321

81-2321 - EZ Claw Tensioner System, Hydraulic Tensioner System - Under Trailer - 40lbs

Electrical Connections / Air Products

- Hydraulic Tensioner System
- Heavy Duty automatic extension and retraction system for hydraulic hoses
- Keeps air lines and electrical cords off the deckplate / catwalk
- Prevents chafing and costly downtime due to parts failure
- Allows for 90° turns keeping hoses safe & secure

[Vist Product Page](#)



81-2322

81-2322 - EZ Claw Tensioner System, Versa Mount - Short Bracket

Electrical Connections / Air Products

- Mount provides 8" of clearance and is intended for use on trucks with shorter wheelbases or shorter than normal cab-to-trailer clearances
- Mounting hardware included

[Vist Product Page](#)



81-2323

81-2323 - EZ Claw Tensioner System, Versa Mount - Short Bracket

Electrical Connections / Air Products

- Intended for use on trucks with a shorter wheelbase or shorter than normal cab-to-trailer clearance
- Mount provides 8" of clearance off of the back of the cab
- Mounting hardware included

[Vist Product Page](#)



81-2329

81-2329 - EZ Claw Tensioner System, Adapter Bracket - Yard Truck

Electrical Connections / Air Products

- Designed for use with Kalmar/Ottawa yard tractors with a factory installed beacon light bracket
- Typically mounted on the top left side to keep the rear passage door free from tripping hazards
- Mounting hardware included

[Vist Product Page](#)



81-2333

81-2333 - EZ Claw Tensioner System, Flange Mount Bracket Gasket

Electrical Connections / Air Products

- Black EPDM rubber
- Reduces noise and vibration, watertight seal
- Keeps air lines and electrical cords off the deckplate / catwalk
- Prevents chafing and costly downtime due to parts failure
- Allows for 90° turns keeping hoses safe & secure

[Vist Product Page](#)



81-2332

81-2332 - EZ Claw Tensioner System, Hose and Cable Block 3/8-1/4

Electrical Connections / Air Products

- Two (2) 3/8" hole, one (1) 1/4" hole
- Two-piece design bolts together
- Keeps air lines and electrical cords off the deckplate / catwalk
- Prevents chafing and costly downtime due to parts failure
- Allows for 90° turns keeping hoses safe & secure

[Vist Product Page](#)



81-2331

81-2331 - EZ Claw Tensioner System, Hose and Cable Block 3/8-3/8

Electrical Connections / Air Products

- Three (3) 3/8" holes for standard lines
- Two-piece design bolts together
- Keeps air lines and electrical cords off the deckplate / catwalk
- Prevents chafing and costly downtime due to parts failure
- Allows for 90° turns keeping hoses safe & secure

[Vist Product Page](#)



81-2330

81-2330 - EZ Claw Tensioner System, Heavy Duty Line Saver

Electrical Connections / Air Products

- Not recommended for back of cab installation.
- Supports 80 lbs. of heavy hydraulic hoses
- Tandem 40-lb. tensioners in one unit
- Allows for 84 inches of overall line travel
- Installation instructions included
- Keeps air lines and electrical cords off the deckplate / catwalk
- Prevents chafing and costly downtime due to parts failure
- Allows for 90° turns keeping hoses safe & secure

[Vist Product Page](#)



81-2328

81-2328 - EZ Claw Tensioner System, Mounting Adapter Bracket

Electrical Connections / Air Products

- Fits International day cabs
- Utilizes factory holes and hardware

[Vist Product Page](#)



81-2327

81-2327 - EZ Claw Tensioner System, Airfoil Adapter Kit - International

Electrical Connections / Air Products

- Fits International day with c-channel air fairing brackets
- Mounting hardware included

[Vist Product Page](#)



81-2326

81-2326 - EZ Claw Tensioner System, Centre Post Mount

Electrical Connections / Air Products

- Frame-mounted solution for suspending pneumatic, electric and hydraulic hoses in a central location behind the cab
- Reduces hose and line failure due to excessive, unsupported movements and/or rubbing
- The 72" post keeps lines a minimum 6" off the catwalk
- Supports up to 160 lbs. of hoses and cables
- Mounting hardware included

[Vist Product Page](#)



81-2325

81-2325 - EZ Claw Tensioner System, M2 Bracket

Electrical Connections / Air Products

- Designed for use on Freightliner M2 tractors with air fairings
- Fairing mounted
- Mounting hardware included

[Vist Product Page](#)



81-2324

81-2324 - EZ Claw Tensioner System, Side Mount Bracket

Electrical Connections / Air Products

- Intended to mount the tensioner at the recommended 45-degree angle on the side of toolboxes or other structures
- Side mount
- Mounting hardware included

[Vist Product Page](#)